The analysis of this sample was performed in accordance with procedures approved or recognized by the U.S. Environmental Protection Agency.

Chi Boldt

Chris Boldt, Laboratory Manager Environmental Services Program Field Services Division

Qualifier Descriptions

- 01 Improper collection method
- 03 Exceeded holding time
- 05 Estimated value, detected below PQL
- 07 Estimated value, analyte outside calibration range
- 09 Sample was diluted during analysis
- 11 Estimated value, matrix interference
- 13 Estimated value, true result is > reported value
- 15 No Result Failed Quality Controls Requirements
- 17 Results in dry weight
- 19 Estimated value
- 21 No result spectral interference
- ND Not detected at reported value

- 02 Improper preservation
- 04 Analyzed by Contract Laboratory
- 06 Estimated value, QC data outside limits
- 08 Analyte present in blank at > 1/2 reported value
- 10 Laboratory error
- 12 Insufficient quantity
- 14 Estimated value, non-homogeneous sample
- 16 Not analyzed related analyte not detected
- 18 Sample pH is outside the acceptable range
- 20 Not analyzed Instrument failure
- 22 pH was performed at the Laboratory



ATTAChment 18

United States Environmental Protection Agency Region 7 901 N. 5th Street Kansas City, KS 66101

Date:

SEP 17 2009

Subject: Transmittal of Sample Analysis Results for ASR #: 4550

Project ID: 09COWLES60

Project Description: Rockaway Beach WWTP

From: Michael F. Davis, Chief M 51 fermin for Chemical Analysis and Response Branch, Environmental Services Division

To: Lyle Cowles

ENSV/EMWC

Enclosed are the analytical data for the above-referenced Analytical Services Request (ASR) and Project. The Regional Laboratory has reviewed and verified the results in accordance with procedures described in our Quality Manual (QM). In addition to all of the analytical results, this transmittal contains pertinent information that may have influenced the reported results and documents any deviations from the established requirements of the QM.

Please contact us within 14 days of receipt of this package if you determine there is a need for any changes. Please complete the enclosed Customer Satisfaction Survey and Data Disposition/Sample Release memo for this ASR as soon as possible. The process of disposing of the samples for this ASR will be initiated 30 days from the date of this transmittal unless an alternate release date is specified on the Data Disposition/Sample Release memo.

If you have any questions or concerns relating to this data package, contact our customer service line at 913-551-5295.

Enclosures

cc: Analytical Data File.

ASR Number: 4550 **Summary of Project Information** 09/17/2009

Project Manager: Lyle Cowles

Org: ENSV/EMWC

Phone: 913-551-7081

Project ID: 09COWLES60

Project Desc: Rockaway Beach WWTP

Location: Rockaway Beach

State: Missouri

Program: Water Enforcement

Purpose: Compliance Monitoring

GPRA PRC: 501E50C

sample WWTP influent and effluent. ASR submitted a little late due to late

assignment of facility to EFCB from WENF.

Explanation of Codes, Units and Qualifiers used on this report

Sample QC Codes: QC Codes identify the type of sample for quality control purpose.

Units: Specific units in which results are

reported.

= Field Sample

Deg C = Degrees Celsius

FB = Field Blank

GPD = Gallons per Day

FD = Field Duplicate

SU = Standard Units (pH) mg/L = Milligrams per Liter

Data Qualifiers: Specific codes used in conjunction with data values to provide additional information on the quality of reported results, or used to explain the absence of a specific value.

(Blank) = Values have been reviewed and found acceptable for use.

J = The identification of the analyte is acceptable; the reported value is an estimate.

U = The analyte was not detected at or above the reporting limit.

Sample Information Summary

09/17/2009

| Sample No | QC Code | Matrix | Location Description | External Sample No | Start Date | Start Time | End Date | End Time | Receipt Date |
|--------------|------------|--------|------------------------------|--------------------|---------------|---------------|-------------|-------------|-----------------|
| 1 | | Water | influent | | 08/11/2009 | 14:16 | | | 08/12/2009 |
| 2 | _ | Water | influent | | 08/10/2009 | 13:30 | 08/11/2009 | 14:12 | 08/12/2009 |
| 3 | | Water | influent | | 08/12/2009 | 10:30 | | | 08/13/2009 |
| 4 | | Water | influent | | 08/11/2009 | 14:50 | 08/12/2009 | 11:00 | 08/13/2009 |
| 11 | | Water | effluent | | 08/11/2009 | 13:55 | | | 08/12/2009 |
| 12 | 1065 | Water | effluent | | 08/10/2009 | 11:35 | 08/11/2009 | 13:45 | 08/12/2009 |
| 13 | | Water | effluent | | 08/12/2009 | 10:30 | | | 08/13/2009 |
| 13 - F | D | Water | Field Duplicate of sample 13 | | 08/12/2009 | 10:30 | | | 08/13/2009 |
| 14 | _ | Water | effluent | | 08/11/2009 | 14:55 | 08/12/2009 | 11:00 | 08/13/2009 |
| 14 - F | В | Water | Blank sample | | 08/12/2009 | 10:30 | | | 08/13/2009 |

RLAB Approved Analysis Comments

09/17/2009

Project ID: 09COWLES60 Project Desc Rockaway Beach WWTP

| Analy | Comments About Results For This Analysis | |
|-------|--|----|
| 4 / | mania in Water by Automated Distillation | |
| 1 / | monia in Water by Automated Distillation | |
| | Lab: Region 7 EPA Laboratory - Kansas City, Ks. | |
| | Method: EPA Region 7 RLAB Method 3133.1G | |
| | Samples: 11 13 14-FB | |
| | Comments: Ammonia was J-coded in sample 11. Although the analyte in question has been positive identified in the sample, the quantitation is an estimate (J-coded) due to low recovery this analyte in the laboratory matrix spike. (49:72) The actual concentration for the analyte may be higher than the reported value. | of |
| 1 E | D5 in Water by DO Probe | |
| | Lab: Region 7 EPA Laboratory - Kansas City, Ks. | |
| | Method: EPA Region 7 RLAB Method 3153.1D | |
| | Samples: 2 4 12 14 | |
| | Comments: BOD5 was J-coded in samples 2, 4, 12, 14. Although the analyte in question has be positively identified in the samples, the quantitation is an estimate (J-coded) due to lo recovery of the Glucose-Glutamic Acid in the laboratory control sample. The actu concentration for this analyte may be higher than the reported value. | wc |
| 1 F | w, Gallons per Day | |
| | Lab: (Field Measurement) | |
| | Method: Measurement of field parameter | |
| | Samples: 12 14 | |
| | Comments: | |
| | (N/A) | |
| 1 | S or Nonfilterable Solids | |
| | Lab: Region 7 EPA Laboratory - Kansas City, Ks. | |
| | Method: EPA Region 7 RLAB Method 3142.3D | |
| | Samples: 2 4 12 14 | |
| | Comments: | |
| | | |
| 1 (| & Grease in Water | |
| | Lab: Region 7 EPA Laboratory - Kansas City, Ks. | |
| | Method: EPA Region 7 RLAB Method 3152.4C | |
| | | |

Samples: 11-__ 13-FD

Comments:

RLAB Approved Analysis Comments

09/17/2009

Project ID: 09COWLES60 Project Desc Rockaway Beach WWTP

| Analysis | | Comments About Results For This Analysis | | | | | | |
|----------|-------|---|-----------|-------------|--------------|----------|--|--|
| ٠ | | | | ** | | | | |
| 1 | pH of | Water by F | ield Meas | urement | | | | |
| | | Lab: (Field | Measure | ement) | | | | |
| | | Method: N | 1easurem | ent of fiel | d parameter | 7 | | |
| | | Samples: | 1 | 3 | 11 | 13 | | |
| | | Comment (N/A) | s: | | | | | |
| 1 | Temp | erature of V | Vater by | Field Meas | surement | | | |
| | | Lab: (Field | Measure | ement) | | | | |
| | | Method: N | 1easurem | ent of fiel | d paramete | r | | |
| | | Samples: | 1 | 3 | 11 | 13 | | |
| | | Comment (N/A) | s: | | | | | |
| 1 | Total | Phosphorus | in Water | , Colorim | etric | | | |
| | | Lab: Regio | n 7 EPA | Laboratory | y - Kansas C | ity, Ks. | | |
| | | Method: E | PA Regio | n 7 RLAB | Method 313 | 3.4E | | |
| | | Samples: | 11 | 13 | 14-FB | | | |
| | | Comment | s: | | | | | |

RLAB Approved Sample Analysis Results

09/17/2009

Project ID: 09COWLES60

Project Desc: Rockaway Beach WWTP

| Analysis/ Analyte | Units | 1 | 2 | 3 | 4 |
|--|-------|------|-------|------|-------|
| 1 BOD5 in Water by DO Probe BOD5 | mg/L | | 292 J | | 347 J |
| 1 NFS or Nonfilterable Solids Solids, nonfilterable | mg/L | | 370 | | 600 |
| 1 pH of Water by Field Measurement pH | SU | 7.14 | | 7.65 | |
| 1 Temperature of Water by Field Measurement Temperature | Deg C | 27.0 | | 27.0 | |

RLAB Approved Sample Analysis Results

09/17/2009

Project ID: 09COWLES60

Project Desc: Rockaway Beach WWTP

| Analysis/ Analyte | Units | 11 | 12 | 13 | 13-FD |
|---|-------|--------|---------|-------|-------|
| 1 Ammonia in Water by Automated Distillation Ammonia as Nitrogen | mg/L | 2.61 J | | 0.1 U | |
| 1 BOD5 in Water by DO Probe BOD5 | mg/L | | 2.5 J | | |
| 1 Flow, Gallons per Day Flow (GPD) | GPD | | 240,000 | | |
| 1 NFS or Nonfilterable Solids Solids, nonfilterable | mg/L | | 4.0 U | | |
| 1 Oil & Grease in Water Oil & Grease | mg/L | 5.0 U | | 5.0 U | 5.0 U |
| 1 pH of Water by Field Measurement pH | SU | 7.26 | | 7.35 | |
| 1 Temperature of Water by Field Measurement Temperature | Deg C | 28.0 | | 26.6 | |
| 1 Total Phosphorus in Water, Colorimetric Phosphorus | mg/L | 0.865 | | 1.30 | |
| | | | | | |

RLAB Approved Sample Analysis Results

09/17/2009

Project ID: 09COWLES60

Project Desc: Rockaway Beach WWTP

| Analysis/ Analyte | Units | 14 | 14-FB |
|---|-------|---------|---------|
| 1 Ammonia in Water by Automated Distillation Ammonia as Nitrogen | mg/L | | 0.1 U |
| 1 BOD5 in Water by DO Probe BOD5 | mg/L | 2.5 J | |
| 1 Flow, Gallons per Day Flow (GPD) | GPD | 237,000 | |
| NFS or Nonfilterable Solids Solids, nonfilterable | mg/L | 4.0 U | |
| 1 Total Phosphorus in Water, Colorimetric Phosphorus | mg/L | | 0.100 U |

ATTACKMENT 17

Jeremiah W. (Jay) Nixon, Governor • Mark N. Templeton, Director OF NATURAL RESOURCES

www.dnr.mo.gov

June 8, 2009

City of Rockaway Beach Rockaway Beach Wastewater Treatment Facility P. O. Box 315 Rockaway Beach, MO 65740

NPDES PERMIT NUMBER MO0108162

Dear Permittee:

A review of your Discharge Monitoring Report (DMR) file revealed that the report was not complete when compared to the monitoring requirements specified in your National Pollutant Discharge Elimination System (NPDES) permit. Please be advised that the failure to submit a complete DMR constitutes a violation of the permit--a legally binding document enforced by both state and federal laws.

The following monitoring information is missing from your April 2009 DMR:

AMMONIA AS N

The required information should be submitted to this agency within five days from the date of this letter, or, in writing within 15 calendar days of receipt of this letter, identify the reasons for the violations and corrective actions you have taken or will take.

The Department monitors and tracks instances of noncompliance related to DMR's. All facilities that are significantly noncompliant are reported to the Environmental Protection Agency and the Department then takes action to ensure their return to compliance. It is the policy of this office to require facilities with a history of a significant noncompliance to sign a Schedule of Compliance that outlines corrective measures to be taken within a specified time period. You are encouraged to take appropriate steps to eliminate the current violation.

If you have questions please contact me by calling 417-891-4300 or via mail at Southwest Regional Office, 2040 W. Woodland, Springfield, Missouri 65807-5912.

Sincerely,

SOUTHWEST REGIONAL OFFICE

Lana Cypret

Technical Assistant

LGC/bjc

Enclosure


213. wpcp. Rockaway Beach City Of. mo 01081612. x. 2009. 06.08. fy 09. dmr. x. lgc. docod and the control of the control of



MISSOURI DEPARTMENT OF NATURAL RESOURCES SOUTHWEST REGIONAL OFFICE

Parameter(s) indicated below (was/were) missing from the April 2009 discharge monitoring report for facility Rockaway Beach Wastewater Treatment Facility in Taney County, permit number MO0108162.

Missing Parameter
AMMONIA AS N



| OTHER | |
|----------------------|--|
| OPERATOR: Allan Bush | SAMPLE DATE: <u>4/30/09</u> SAMPLE TIME: <u>COMP</u> S ANALYSES DATE: <u>5/05/09</u> METHOD USED: <u>Distille</u> |
| LAB: PDC. | ANALYSES DATE: <u>3/03/01</u> METHOD USED: <u>pytton</u> - |
| | n with the missing information and original signature to if you have any questions contact Lana Cypret at |
| Depart | ment of Natural Resources |
| Southv | vest Regional Office |
| 2040 V | Vest Woodland field, MO 65807-5912 |
| Spring | |
| SIGNATURE: | DATE: |
| MO/SWRO 9/27/2007 | |

213. wpcp. Rockaway Beach City Of. mo 01081612. x. 2009. 06.08. fy 09. dmr. x. lgc. docod and the contraction of the contract

City of Rockaway Beach Rockaway Beach, Missouri 65740

Water/Sewer Dept.
P.O. Box 315
Rockaway Beach, MO 65740
rockawaycity@suddenlinkmail.com

Office of the City Clerk P.O. Box 315 Phone (417) 561-4424 Fax (417) 561-6025

August 24, 2009

Lyle Cowles
Environmental Scientist
Environmental Service Division
801 North 5th Street
Kansas City, KS 66101

Dear Mr. Cowles:

Please find enclosed a report submitted by our Regional Sewer Plant Operator, Allen Bush.

This report addresses some of the issues that were discussed at your visit earlier this month. We hope this response will help clarify your questions and concerns. We are in the process of acquiring a writer for our Regional Plant Operating Manual and we are hoping this manual will be forthcoming.

As stated by Allen in his report, the City has establish a check system between the City's in-city Sewer operator, the two villages now participating in the Regional Plant and the Regional Plant operator on the I and I Reports.

If you have any questions concerning this report, please do not hesitate to let us know.

Sincerely yours,

awrence E. Cline

Mayor

To: Mayor and Board of Alderpersons

Date August !7,2009

From: Wastewater Plant

Re: NOV notice EPA

The inspector from EPA said that we have come a long way since the last inspection. However we do need to tighten up areas on paper work for the plant. I have talked with other plant operators and will be gathering some of the paper work that they use, and include that in the packet that I turn in to be mailed off to other agencies.

In answer to the NOV sections.

#1. I and I reports. The reports show what has been done to find and fix leaks in the collection system for wastewater. The report is tied to the plant permit. I as the operator do not maintain the collection systems, but I do need to have the form to send in with the packets every six month. As a suggestion, the city of Rockaway Beach include Merriam Woods and Bull Creek. Rockaway treats the wastewater from the other two villages and also they should be turning in I and I reports to dnr on their collection systems. I feel we need to be generating the report in September and October to be included in the packet that we send out to the respective agencies. I and I will show if wastewater is getting out and ground water is getting in the collection system along with grit and gravel.

2. High phosphorus in july of 2008

At that time we had floods around the plant and high volumes of water coming to the plant. I operate the plant as long as it can before the volume of water makes us shut down. Due to the configuration of the piping under ground and pumping of water and sludge. It backs the sludge into the sand filters and we have to shut the filters down and bypass as well as shut the blowers down and motive pumps and have sludge to clean and remove from the sand filters and the under slab effluent water holding area for back wash pumps. Shut off the return sludge from clarifier. We wash all the chemical in the system out and takes time to get that back in working order. When start up commences again. It will take time to get the system back in order.

#3. I and I reports

The city has created a check system for reports and the I and I will be added to the check list. The city and villages should have the report ready in October to be included in the October packet that we send to the respective agencies. The DNR sheet needs to be filled out and also include a descriptive letter if needed.

Sincerely, Allen Bush Plant Operator

(If middle of Ditch on which con with which is probe approx. ATTAChneNT 20 SAMPling LOCATION Diagram (Elgh of compate) Dip cup from 1:0 Selectors

ATTAChment 21



United States Environmental Protection Agency Washington, D. C. 20460

Form approved.

| The months | | 1 0 8 | | | 3 | OBM No. 2040-0 | |
|----------------------------------|--|------------------------|--------------------|-------------------|---------------------------------|--------------------|---------------|
| a duita | Wate | r Complia | ance Ins | spection Re | eport | Approval Expires | 0-31-90 |
| | | Section A | A: National D | ata System Coding | g (i.e., CS) | | • |
| Inspection Code | NPDES | 10 | | YY/MM/DD | Inspection type | Inspector | Face Type |
| 1 2 3 1 | 8101110101 | 1100011 | 12 09 | 10181112117 | 18 5 | 19 4 | 20 |
| | • | | _ | | | | |
| | | | -1 1 Tot | Remarks | 1 1 1 1 | | |
| 21 Inspection Work Days | Facility Self-Monitoring | Evaluation Rating | B1 | QA QA | | Reserved | 66 |
| 67 69 | 70 | | 71 N | 72 | 73 74 | | 80 |
| | | 2 | Section B: F | acility Data | | N_ | |
| Name and location of Facility In | nspected (For Industrial | users discharging to F | POTW, also provide | POTW Name and | Entry Time/date | Permit eff | ective Date |
| NPDES permit number) | ZOCKAWA | 4 Beach | - WWT+ | <i>o</i> | 8/10/09 | alse | piration Date |
| 10 | OO BOYS | AMP Rd. | 190 | 65740 | Exit Time/ date | | • |
| Person(s) On-site Representati | 00 Boys C | nd Env Number(s) | 20CKAWAY | Beach, mo | 9/12/09 Other Facility dates | Cong | - 2011 |
| Of Of Oal C | Bush (Con | LONT (11) | UTD DAM | | Other Facility dates | | |
| | | | | | | | |
| Cell: (41- | 7)294 - 436 | ,7 | | City Hall | | | |
| Name address of Responsible | official/ title/Phone/Fax | Number | 417)56 | 1-4424 | | | |
| Lan | y ceine, i | Mayor | 65740 | Contacted | | | |
| POI | 7) 294 - 436 official/title/Phone/Fax y Clive, 1 304 315 Ro | CKAWAY BE | ach mo x | yes No | | | |
| | Section C: | Areas Evaluat | ed during In | spection (Check o | only those area | s evaluated) | |
| Permit | | Flow Measure | ment | Operations & Male | ntenance | CSO/SSO (Sewer | overflow) |
| | | | | | | Pollution Preventi | |
| Records/ Reports | | Self-Monitoring | | Sludge Handling/l | Disposal | 8 | וונ |
| Facility site Review | | Compliance S | chedules | Pretreatment | | Multimedia | |
| Effluent/Receiving W | /aters | Laboratory | i . | Storm Water | | - Other | |
| Section D | : Summary of F | indings/ Comm | ents (Attach | additional sheets | of narrative an | d checklists as n | ecessary) |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | 5 | | | |
| | | | | | | 20 | |
| | | 320 | | Ш | | | 8 |
| Name(s) and signature(s |) of Inspector(s) | - | Agency/ Office/ | Phone and Fax Num | bers | | Date |
| LY LE C | Coule | | EPA | Region 7 | | | 8/12/09 |
| 1,0-1 | Courlo | A | (913 |) 551-708 | / | | |
| Office | | | | / | | | |
| | | | | | | | = = |
| Signature of Managemer | nt QA Reviewer | | Agency/ Office | Phone and Fax Num | bers | 77 | Date |
| | | 8 | | | | | |

EPA form 3560-3(rev 5-08) Previous editions are obsolete

| Section F thru L: Complete on all in sections, as appropriate. N | /A = Not Applicable | Permit No. | | |
|--|--|----------------------|-----------------|--|
| Section F: Facility and Permit Background | 40 | | | |
| ADDRESS OF PERMITTEE IF DIFFERENT FROM FACILITY (Including City, County and ZIP code) | DATE OF LAST PREVIOUS INVISTIGATION BY EPA/STATE | 0. | | |
| | FINDINGS: | | | |
| | | | | |
| | | | | |
| N v = | | | | |
| | | | | |
| | | | | |
| Section G: Records | s and Reports | | | |
| RECORDS AND REPORTS MAINTAINED AS REQUIREDBY PERM | AIT. BYES INO IN/A (further | explanation attached |) | |
| (a) ADEQUET RECORDS MAINTAINED OF: | | | | |
| (i) SAMPLING DATE, TIME, EXACT LOCATION | | 5 | EYES - NO - N/ | |
| (ii) ANALYSIS DATE, TIME | , , , , , , , , , , , , , , , , , , , | | YES ONO N | |
| (iii) INDIVIDUAL PERFORMING ANALYSIS | | | E-YES - NO - N | |
| (iv) ANALYTICAL METHODS/TECHNIQUES USED | | | PYES NO N | |
| (v) ANALYTICAL RESULTS (e.g., consistent with self monitoring | report data) | whal | E-YES - NO - N | |
| (b) MONITORING RECORDS (e.g. flow, pH, DO, etc) MAINTAINED FOR A MINIMUM OF THREE YEARS INCLUDING ALL ORIGINAL STRIP CHART RECORDINGS (e.g. continuous monitoring instrumentation, calibration and maintenance records). | | | | |
| (c) LABEQUIPMENT CALIBRATION AND MAINTENANCE REDORDS KEPT | | | | |
| (d) FACILITY OPERATING RECORDS KEPT INCLUDING OPERATING LOGS FOR EACH TREATMENT UNIT Fund worker | | | | |
| (e) QUALITY ASSURANCE RECORDS KEPT | | | | |
| (f) RECORDS MAINTAINED OF MAJOR CONTRIBUTING INDUSTRIES (and their compliance status) USING PUBLICALLY OWEND TREATMENT WORKS | | | | |
| Section H: Permit Verification | DVES DNO DN/A / further ex | planation attached | | |
| INSPECTION OBSERVATION VERIFY THE PERMIT (a) CORRECT NAME AND MAILING ADDRESS OF PERMITTEE | ☐ YES ☐ NO ☐ N/A (further ex | planation attached | THES INO IN | |
| (a) CORRECT NAME AND MAILING ADDRESS OF PERMITTEE | | | TYES NO N | |
| (c) PRINCIPAL PRODUCT(C) AND PRODUCTION RATE CONFOR | M WITH THOSE SET FORTH IN PERMI | T APPLICATION | EYES NO N | |
| (d) TREATMENT PROCESSES ARE AS DESCRIBED IN PERMIT A | | T ATT EIGHTION | ZYES NO N | |
| (e) NOTIFICATION GIVEN TO EPA/STATE OF NEW, DIFFERENT | | | | |
| (f) ACCURATE RECORDS OF RAW WATER VOLUME MAINTAINE | | | PYES D NO D N | |
| (g) NUMBER AND LOCATION OF DISCHARGE POINTS ARE AS D | | | | |
| | DESCRIBED IN PERIVIT | | EYES D NO D N | |
| (h) CORRECT NAME AND LOCATION OF RECEIVING WATERS | | | EYES ONO ON | |
| (I) ALL DISCHARGES ARE PERMITTED Section I: Operation and Maintenance | | | PYES NO N | |
| (a) STANDBY POWER OR OTHER EQUIVALENT PROVISIONS PR | ROVIDED. 2 power DEN | rh | TYES D NO D N | |
| (b) ADEQUATE ALARM SYSTEM FOR POWER EQUIPMENT FAIL | OF LOS OF SALE | | YES DINO N | |
| (c) REPORTS ON ALTERNATE SOURCE OF POWER SENT TO E | | | IZ YES □ NO □ N | |
| (d) SLUDGE AND SOLIDS ADEQUATELY DISPOSED | land up | al: | ZYES NO NO | |
| (e) ALL TREATMENT UNITS IN SERVICE | Lar Cop | | YES NO N | |
| (f) CONSULTING ENGINEER RETAINED OR AVAILABLE FOR CO PROBLEMS. | NSULTATION ON OPERATION AND MA | AINTENANCE | EYES DNO DN | |
| (g) QUALIFIED OPERATING STAFF PROVIDED | | | YES NO N | |
| (h) ESTABLISHED PROCEDURES AVAILABLE FOR TRAINING NE | EW OPERATORS | | ☐ YES 12/NO ☐ N | |
| (I) FILES MAINTAINED ON SPARE PARTS INVENTORY, MAJOR I | | | EYES DNODN | |
| | | | | |
| AND PARTS AND EQUIPMENT SUPPLIERS | ANCE OF EACH ITEM OF MAJOR EQUIP | PMENT | TYES PRIOD N | |
| | ANCE OF EACH ITEM OF MAJOR EQUIP | PMENT | DYES DYOON | |

| P | ermit No. |
|---|--------------------------------|
| Section J : Compliance Schedules | |
| PERMITTEE IS MEETING COMPLIANCE SCHEDULE ☐ YES ☐ NO 🗹 N/A | (Further explanation attached) |
| CHECK APPROPRIATE PHASE(S) | |
| (A)☐ THE PERMITTEE HAS OBTAINED THE NECESSARY APPROVALS FROM THE APPROPRIATE AUTH | OPITIES TO REGIN CONSTRUCTION |
| | OKITES TO BEGIN CONSTRUCTION. |
| (B)☐ PROPER AGREEMENT HAS BEEN MADE FOR FINANCING (mortgagee commitments, grants, etc.) | |
| (C)□ CONTRACTS FOR ENGINEERING SERVICES HAVE BEEN EXECUTED. | |
| (D)□ DESIGN PLANS AND SPECIFICATION HAVE BEEN COMPLETED. | |
| (E) ☐ CONSTRUCTION HAS COMMENCED. | |
| (F) ☐ CONSTRUCTION AND/OR EQUIPMENT ACQUISITION IS ON SCHEDULE. | |
| (G)□ CONSTRUCTION HAS BEEN COMPLETED | |
| (H)□ START UP HAS COMMENCED. | |
| (I)□ THE PERMITTEE HAS REQUESTED AND EXTENSION OF TIME. | |
| Section K: Self Monitoring Program | |
| Part 1 – Flow measurement (further explanation attached) | |
| PERMITTEE FLOW MEASUREMENT MEETS THE REQUIREMENTS AND INTENT OF THE PERMIT. | ØYES □ NO □ N/A |
| Details: | ₽YES □ NO □ N/A |
| (a) PRIMARY MEASURING DEVICE PROPERLY INSTALLED. TYPE OF DEVICE: WEIR PARSHALL FLUME MAGMETER VENTURI METER OTI | HER (specify) |
| TYPE OF DEVICE: WEIR PARSHALL FLUME MAGMETER VENTURI METER OTI | TES NO N/A |
| (c) primary FLOW measuring device properly OPERATED AND MAINTAINED | EYES DNO DN/A |
| (d) SECONDARY INSTRUMENTS (totalizers, recorders, etc.) PROPERLY OPERATED AND MAINTAINED | EYES DNO DN/A |
| (e) FLOW MEASUREMENT EQUIPMENT ADEQUATE TO HANDLE EXPECTED RANGES OF FLOW RATES. | EMES INO IN/A |
| Part 2 – Sampling (further explanation attached) | 2 120 2 100 2 100 |
| PERMITTEE SAMPLING MEETS THE REQUIREMENTS AND INTENT OF THE PERMIT. Details: | bYES □ NO □ N/A |
| (a) LOCATIONS ADEQUATE FOR REPRESENTATIVE SAMPLES. | IZYES □ NO □ N/A |
| (b) PARAMETERS AND SAMPLING FREQUENCY AGREE WITH PERMIT. | EYES □ NO □ N/A |
| (c) PERMITTEE IS USING METHODS OF SAMPLING AGREE WITH PERMIT | WINF. GYES INO IN/A |
| IF NO: LEGRAB LEMANUAL COMPOSITE LE AUTOMATIC COMPOSITE (FREQUENCY | |
| (d) SAMPLE COLLECTION PROCEDURES ARE ADEQUATE. | © YES □ NO □ N/A |
| (I) SAMPLES REFRIGERATED DURING COMPOSITION | PYES □ NO □ N/A |
| (II) PROPER PRESERVATION TECHNIQUES USED | PYES □ NO □ N/A |
| (III) FLOW PROPORTIONED SAMPLES OBTAINED WHERE REQUIRED BY PERMIT | ☐ YES ☐ NO €-N/A |
| (IV) SAMPLES HOLDING TIMES PRIOR TO ANALYSIS IN CONFORMANCE WITH 40 CFR 136.3 | TYES I NO I N/A |
| (e) MONITORING AND ANALYSIS BEING PERFORMED MORE FREQUENTLY THAN REQUIRED BY PERMIT | ☐ YES E-NO ☐ N/A |
| (f) IF (e) IS YES, RESULTS ARE REPOTED IN PERMITTE'S SELF MONITORING REPORT. | □ YES □ NO □ N/A |
| Part 3 – Laboratory (further explanation attached) PERMITTEE LABORATORY PROCEDURES MEET THE REQUIREMENTS AND INTENT OF THE PERMIT. Details: | THES INO IN/A |
| (a) EPA approved analytical testing procedures used. (40CFR 136.3) | EYES NO N/A |
| (B) IF ALTERNATIVE ANALYTICAL PROCEDURES ARE USED. PROPER APPROVAL HAS BEEN OBTAINED. | □ YES □ NO E-NIA |
| (C) PARAMETERS OTHER THAN THOSE REQUIRED BY THE PERMIT ARE ANALYZED | ☐ YES ÆNO ☐ N/A |
| (D) SATISFACTORY CALIBRATION AND MAINTENANCE OF INSTRUMENTS AND EQUIPMENT. | ☐ YES ☐ NO ☐ N/A |
| (E) QUALITY CONTROL PROCEDURES USED. | □ YES □ NO □ N/A |
| (F) DUPLICATE SAMPLES ARE ANALYZED% OF TIME. | □ YES □ NO □ N/A |
| (G) SPIKED SAMPLES ARE USED% OF TIME. | ☐ YES ☐ NO ☐ N/A |
| (H) COMMERCIAL LABORATORY USED. | □ YES □ NO □ N/A |
| (I) COMMERCIAL LABORATORY STATE CERTIFIED. | ☐ YES ☐ NO ☐ N/A |
| LAB NAME | |
| LAB ADDRESS | PAGE 3 OF |

| | | | | | Peri | mit No. | |
|---|--|--|---|----------------------|----------------------|--|-------------|
| Section L : Efflue | nt/ Receiving Water | Observation (Fu | ırther explanation att | ached) | | | |
| OUTFALL NO. | OIL SHEEN | GREASE | TURBIDITY | VISIBLE FOAM | VISIBLE FLOAT SOL | COLOR | OTHER |
| 001 | pone | Norte | None | ND | Po | Oear | |
| | | | | = = | | | |
| 0 11 | | | | | p | | |
| ± | | | | | • 14 | 31 | |
| · · | | | 81 | 2 2 | | | 17 |
| | | | | | | | i.i. |
| Castian M. Camp | line Inchestion Dro | (Section M an | d N Complete as App rvations (further ex | propriate for Sampli | ng Inspections) | | |
| (c)□ FLOW PF (d)□ AUTOMA COMPOSITING | | 30 min | (g)C | RESERVATION | IED FROM FACILITY | Y SAMPLING DEVIC | E |
| SAMPLE REP | RIGERATED DURIN RESENTATIVE OF \ | OLUME AND NAT | Ure of | /A | | | |
| Section N: Collec | tion System and Sa | nitary Sewer Ove | rflow (SSOs) | | | | |
| | | | and phone numbe | | | the following Ques | |
| | Duck 6 | rolly, | | hard DAR | 200 CEWER | New tie of | |
| How many miles What is the aver Any Hydraulic and ANY BYPASSING | of sanitary sewer of sanitary sewer age age of the sar /or organic overloads SINCE LAST INPE ument responses | lines are cleaned linery sewer lines s experienced. CTION. to complaints for | d in a typical year? YES □ NO □ YES □ NO sewer back-ups, s | miles rears | Cleaning vip. | Bull Creek Merriam Bue the F problem | woods /I |
| | Revo | vatlo in E | 00 500(| ontructed | on an p | venuery / | Beach |
| Do you have any | y discharges (SSO | s) from the collec | spond to in a year ction system?: ロ ncy?: ロ YES ⑭春 | YES - NO | Cizy | will try | _to |
| Describe the typ | es of discharge: | | | | ash for | or que | w/ their |
| | | | | | 4 1 refe | 7/7 report | ta |
| In | (engo Vera) | mental Ac | peenent | Se | mi - Annuar | 7/7 repor | |
| Lotu | een mu, & | CIPRB | | n * | | | |
| CATI | geto Au | tor 1/2 | Cent Sole | , tax from | ~ Janey C | D. | |